


Claims

1. A conjugate comprising a magnetic polymer particle bound to a carboxymethylated aspartate chelating ligand.
5
2. A conjugate comprising a magnetic polymer particle bound to a carboxymethylated aspartate ligand chelating a metal atom or ion.
- 10 3. A conjugate as claimed in claim 2 wherein said metal is a transition metal or a metal of group 13.
4. A conjugate as claimed in claim 3 wherein said metal is Ni, Fe, Ga, Mn, Co, Cu and Zn.
15
5. A conjugate as claimed in claim 4 wherein said metal is Fe, Ga, Mn and Co.
6. A conjugate as claimed in claim 2 to 5 wherein said
20 metal is in the 2+ or 3+ oxidation state.
7. A conjugate as claimed in claim 6 wherein said metal is Co^{2+} , Fe^{3+} , Ga^{3+} and Cu^{2+} .
- 25 8. A conjugate as claimed in claim 7 wherein said metal is Co^{2+} .
9. A conjugate as claimed in any one of claims 1 to 8 wherein there are at least three atoms between the
30 nitrogen atom of the carboxymethylated aspartate ligand and the particle surface.
10. A conjugate as claimed in claim 9 being of formula



(MPP=magnetic polymer particle)

wherein the wavy line represents a 3 to 20 atom linker
selected from NH-alkylene, NH-CO-alkylene, O-alkylene,
5 OCO-alkylene, S-alkylene or SCO-alkylene.


11. A conjugate as claimed in claim 10 wherein the wavy
line represents $\text{NH-C}_5\text{H}_{12}\text{-}$ or $\text{NH-C}_6\text{H}_{13}\text{-}$.
- 10 12. A conjugate as claimed in any one of claims 1 to 11
wherein said polymer comprises a cross-linked styrene
divinyl benzene polymer.
13. A conjugate as claimed in any one of claims 1 to 12
15 wherein the magnetic polymer particle has a diameter of
0.5 to 8 μm .
14. A conjugate as claimed in claim 12 wherein said
magnetic polymer particle has a diameter of 0.8 to 1.2
20 μm .
15. A conjugate as claimed in any one of claims 1 to 14
being uncharged.
- 25 16. A conjugate as claimed in any one of claims 2 to 15
additionally chelated to a histidine tagged recombinant
protein/peptide, His, Cys, Met, Gln, Asn, Lys and/or Tyr
residue containing native protein/peptide or
phosphorylated protein/peptide.
- 30 17. A conjugate as claimed in any one of claims 2 to 16
additionally chelated to a histidine tagged recombinant
protein/peptide.

18. A conjugate as claimed in claim 16 characterised in that where said conjugate binds a phosphorylated protein/peptide, said metal is Fe or Ga.

5

19. A process for the preparation of a conjugate comprising a magnetic polymer particle bound to a Cm-Asp ligand comprising reacting a Cm-Asp ligand of formula (II)


10



(wherein each R independently represents hydrogen or a protecting group and X represents a 2 to 20 atom group) with a magnetic polymer particle, and optionally coordinating the resulting conjugate to a metal atom or ion.

15

20. A compound of formula (II)




20

(wherein each R independently represents hydrogen or a protecting group and X represents a 2 to 20 atom group) or an analogue therefore in which the R groups are absent and a metal chelated.

25

21. A compound as claimed in claim 20 wherein X is a C5 or C6-alkylene group.


22. A compound of formula (III) or an analogue thereof in which a metal is chelated



(III)

5


23. A process for the preparation of a compound of formula



10 (wherein each R independently represents hydrogen or a protecting group and X represents an C_{2-20} alkylene linker);


comprising reacting a compound of formula $\text{Hal}-X_1-\text{CN}$ (wherein Hal is a halide and X_1 represents an C_{1-19} alkylene linker) with a compound of formula

15



(wherein Pr is a protecting group)

20 reacting the resulting product with a compound of formula $\text{Hal}-\text{CH}_2\text{COOPr}$ to form a compound



reducing the nitrile to an amino group; and optionally deprotecting the carboxyl groups.

5 25. Use of a conjugate as claimed in any one of claims 2 to 18 in an assay.

26. Use of a conjugate as claimed in any one of claims
2 to 18 in the purification of histidine tagged
10 recombinant proteins/peptides, His, Cys, Met, Gln, Asn,
Lys and/or Tyr residue containing native
proteins/peptides or phosphorylated proteins/peptides.